

GP8

**Universal ICP Accelerometer
Wireless Adapter**

GP8

Universal ICP Accelerometer Wireless Adapter


GP8 is the only 8-Channel Universal ICP Accelerometer to Wireless Phantom converter with Modbus communication for additional standard applications.



Main Characteristics:

- Full waveform and spectrum data.**
- BLE 5.0** communication.
- Modbus** protocol added.
- 31 kHz** Sample Rate.
- 6400 líneas** de resolución.
- Velocity RMS Values **every 5 minutes**.
- Internal Velocity RMS calculated **every 30 seconds** for alarm settings
- 8 Simultaneous Measurement Points.**


With the 8 embedded BNC connectors, you can connect any of your standard ICP accelerometers and add them to your **Phantom** continuous monitoring system.





GP8 Can work with 5VDC power supply. Additionally, GP8 works with **Phantom Standard Gateway** receiver, supporting more than 100 sensor at the same time.

The data collection interval is configurable so this way you can keep track of all your measurements constantly.



Compatible with your most reliable Erbesd Instruments software such as **DigivibeMX** and **WiSER Wibe**.

ERBESSD INSTRUMENTS®

WORLDWIDE toll-free:

+1-877-223-4606

ENGLISH:

Sales, Service & Support Engineer

+1-518-874-2700

info@erbesd-reliability.com

SPANISH & FRENCH:

Sales, Service & Support Engineer

+52 (55) 6280-7654

info@erbesd-instruments.com

BUY ONLINE

www.erbesd-instruments.com

ALL THE IMAGES ARE FOR ILLUSTRATIVE PURPOSES ONLY. THE FINAL PRODUCT MAY VARY DEPENDING ON THE VERSION AND/OR THE CHANGES OR UPGRADES MADE TO THE PARTS AND COMPONENTS OF THE DEVICES

© 2018 ERBESSD INSTRUMENTS

GP8-DS2020.0420.17